



**Tridion Sites
2026 Q1
Roadmap**

Changes in quarterly update


- More details about the 10.1.3 Release (March 2026)
- Decision to make MCP Server (Early Release) available with 10.1.3 – this is big!




Tridion Sites Product Releases

01.

Product Releases



History of AI and Tridion





Recap of 10.1

- Granular BluePrinting
- Translator Context View

02.

Benefits of Granular BluePrinting

Much better control and governance

Vast improvement over current

Can eliminate processes and workarounds

Auto cascade of the parent field to the child components

Easier make content changes at scale

Can allow a much more efficient content model

Will allow for a consolidation of multiple components into a single one

“The changes related to BluePrinting in 10.1 mark the first changes in this area since the possibility of promotion and demotion of items in the BluePrint hierarchy, introduced in Web 8 in 2015. Allowing non-localizable fields will significantly enhance managing content for localized digital experiences.”

– Ron Grisnich, Trident (RWS Partner)

BluePrinting for Site and Content Management

Organization
Governance / Workflow
Central Content



Brand
Design




Product
Scheduling



Market
Regional Adaptations
Product Availability




Localization
Translation
Transcreation



Thousands of variations can be managed by BluePrinting without duplication.

"Don't repeat yourself"
DRY Principle

Now with Granular BluePrinting ...!



Field Level Inheritance on both the content and meta data fields

Common use cases:

- Lock down immutable information like product SKUs
- Mesh HQ specific and Brand specific information in a single component
- Cascade parent changes to children
- Simplify content model and remove work arounds

Also applies to Pages and Regions!

And don't worry...your existing schemas will continue to work as is!

BluePrinting 3.0 Component Example

Field Details

* XML Name:

* Description:

Type:

Mandatory

Enable for inline editing

Localizable

Include linked Items in translations

Tridion Sites Content Activities Publishing

Demo Article

General History BluePrint Where used Published to View on site


Name *

Schema *

Content Metadata

Heading *

Image (non-localizable)



Name	map
File name	map.jpg
File type	Jpeg image
File size	1.20 MB

Parent

Tridion Sites Content Activities Publishing

Demo Article

General History BluePrint Where used Published to View on site


Name *

Schema *

Content Metadata

Heading *

Image (non-localizable)



Name	map
File name	map.jpg
File type	Jpeg image
File size	1.20 MB

Child

Translator Context View



2 Solutions to help translators understand the context of the content:

- Links to the preview site displayed in Trados Enterprise
- Documents such as screenshots or campaign briefs can be attached to the translation job.

Feature 1: Direct Links to Preview site for Translators

Trados Online Editor | tcm_6-485_LightSolar RI Offering.cmp

Accept task | Download translated file

Home | Review | **View**

Vertical | Show Navigation | Show Document Structure | Adapt Colors | Enable Text Zoom | Larger | Smaller | Tags | Lookups | Theme | Preview | Settings

tcm_6-485_LightSolar RI Offering.cmp > Paragraph

1	LightSolar RI	LightSolar RI			NMT	P
2	Our most amazing product - perfect for home rooftop systems.	Unser erstaunlichstes Produkt – perfekt für Dachsysteme zu Hause.			NMT	P
3	Panels can generate high amounts of energy even when space is limited.	Panels können selbst bei begrenztem Platz hohe Energiemengen erzeugen.			NMT	
4	Gone are the days of clunky, piecemeal solar systems.	Vorbei sind die Tage klobiger, stückhafter Sonnensysteme.			NMT	P
5	Every part of the LightSolar RI is designed to work together, delivering more power, reliability and style.	Jeder Teil des LightSolar RI ist auf die Zusammenarbeit ausgelegt und bietet mehr Leistung, Zuverlässigkeit und Stil.			NMT	
6	The single-pane monocrystalline panels are perfect for rooftop systems.	Die einteiligen monokristallinen Paneele eignen sich perfekt für Dachsysteme.			NMT	P
7	LightSolar RI panels can generate high amounts of energy even when space is limited.	LightSolar RI-Panels können selbst bei begrenztem Platz hohe Energiemengen erzeugen.			NMT	
8	As one of the industry's most trusted panels, the LightSolar module is a popular option for residential customers because of its reliability and compatibility with all major balance of system components and most module-level power electronics. br br One br Two br Three	Das LightSolar-Modul ist eines der vertrauenswürdigsten Panels der Branche und ist aufgrund seiner Zuverlässigkeit und Kompatibilität mit allen wichtigen Systemkomponenten und den meisten Leistungselektroniken auf Modulebene eine beliebte Option für Privatkunden. br br Eins br Zwei br Drei			NMT	
9	More	Mehr			NMT	P
10	Monocrystalline Single-Pane Solar Panel	Monokristallines Einscheiben-Sonnenkollektor			NMT	P

Read-Only | Track Changes | 13 Characters (target segment) | 116 Words | 10 Segments - 10 Untranslated | 0.00% Complete

Tridion TranslationManager preview urls

EN-US

DE

DE (TargetLanguage)

- <https://preview.tridiondemo.com/de-DE/index.html>
- <https://preview.tridiondemo.com/de-DE/products/index.html>
- <https://preview.tridiondemo.com/de-DE/xohome.html>
- <https://preview.tridiondemo.com/de-DE/Mobile/index.html>
- <https://preview.tridiondemo.com/de-DE/details/LightSolarRI.html>

Acadian Solar | PRODUKTE | DIENSTLEISTUNGEN | UNTERSTÜTZUNG | INFO | CONTACT US

Unser erstaunlichstes Produkt – perfekt für Dachsysteme zu Hause. Panels können selbst bei begrenztem Platz hohe Energiemengen erzeugen.


VORBEI SIND DIE TAGE KLOBIGER, STÜCKHAFTER SONNENSYSTEME. JEDER TEIL DES LIGHTSOLAR RI IST AUF DIE ZUSAMMENARBEIT AUSGELEGT UND BIETET MEHR LEISTUNG, ZUVERLÄSSIGKEIT UND STIL.

Die einteiligen monokristallinen Paneele eignen sich perfekt für Dachsysteme. LightSolar RI-Panels können selbst bei begrenztem Platz hohe Energiemengen erzeugen. Das LightSolar-Modul ist eines der vertrauenswürdigsten Panels der Branche und ist aufgrund seiner Zuverlässigkeit und Kompatibilität mit allen wichtigen Systemkomponenten und den meisten Leistungselektroniken auf Modulebene eine beliebte Option für Privatkunden.

Eins, Zwei, Drei

Jetzt kaufen

DATEN | **ÄHNLICHE PRODUKTE** | KOMMENTARE UND BEWERTUNGEN



Feature 2: PDF/Image Attachments for Translators

The screenshot shows the Trados web interface. The top navigation bar includes 'Trados', 'Dashboard', 'Inbox', 'Projects', 'Resources', 'Customers', 'Vendors', 'Users', and 'Terminology'. Below this, the 'Projects' section is active, showing 'Project Groups'. The main content area is titled '< PDF Example for 10.1' and has sub-tabs for 'Dashboard', 'Stages', 'Workflow', 'Reports', 'Costs', 'Files', 'Task History', 'Notes', 'Conversations', and 'Settings'. The 'Files' tab is selected, displaying a table of files with columns for 'FILE NAME', 'FILE PATH', 'LANGUAGE', 'TYPE', 'ROLE', 'WORDS', and 'TASK'. The first file, 'Marketing-Campaign.pdf', is checked and highlighted in green. Below the table are action buttons: Refresh, Delete (1), Download (1), Download Package (0), Rename, Cancel file (1), and Open i.

FILE NAME ^	FILE PATH	LANGUAGE	TYPE	ROLE	WORDS	TASK
<input checked="" type="checkbox"/> Marketing-Campaign.pdf		English (U...	Source	Reference		
<input type="checkbox"/> Translation job metadata.its		English (Un...	Source	Reference		
<input type="checkbox"/> tcm_6-485_LightSolar RI Offeri...		English (Un...	Source	Translatable	115	File Format Conver
<input type="checkbox"/> tcm_6-485_LightSolar RI Offeri...		French (Fra...	Target	Translatable	115	Target File Generat





Marketing Campaign



Additional
10.1 Features

Component template field updates

Increased field width and sorting templates alphabetically



Differentiate activity filter options

The publication title has been included to differentiate the filter options for:

- activity definition,
- process,
- process definition.

The image displays two screenshots of the Tridion Sites interface, illustrating how activity filter options are differentiated by publication title.

Left Screenshot: Shows the 'Workflow Activities' page with the 'Activity definition' filter dropdown open. The dropdown list includes 'Approve' (checked), 'Approve', 'Approve', 'Approve', 'Approve', and 'Approve'. The 'Clear filter' button is visible at the bottom of the dropdown.

Right Screenshot: Shows the 'Workflow Activities' page with the 'Process' filter dropdown open. The dropdown list includes 'Task Process - 000 Empty' (checked), 'Task Process - 100 Master', 'Task Process - 110 DXA Site Type', 'Task Process - 200 Example Content', and 'Task Process - 400 Example Site'. The 'Clear filter' button is visible at the bottom of the dropdown.


The interface includes a navigation bar with 'Content', 'Activities', and 'Publishing' tabs. The user's name 'Nick Hill' is visible in the top right corner. The URL in the browser address bar is `10.100.92.199:81/ui/activities?item=tcm:1-23-131104&panel=information`.

Focus but don't select first item

When browsing an organizational item, the first item in the list was automatically focused and selected.

We updated this behavior to focus but not select the first item.

This will reduce the likelihood that users unintentionally perform actions on the first item (see [SRQ-25640](#)).



Content

Search Content

+ Add new

Filter items

Filters

Schema


Shared from

Status

Type

Sort by: (None)

NAME	STATUS	SCHEMA	SHARED FROM	APPROVAL STATUS	DATE CREATED	LOCALE	DATE MODIFIED	LOCKED BY
<input checked="" type="checkbox"/> _Cloneable C...			(Local copy)		8/1/2024 10:57 A...	en-AU	8/1/2024 10:57 A...	
<input type="checkbox"/> _Structure			(Local copy)		7/22/2024 2:05 PM	en-AU	7/22/2024 2:05 PM	
<input type="checkbox"/> About			200 Example Content		7/10/2024 11:17 ...	en-AU	7/10/2024 11:17 ...	



Content

Search Content

+ Add new

Filter items

Filters

Schema

Shared from

Status

Type



Sort by: (None)

NAME	STATUS	SCHEMA	SHARED FROM	APPROVAL STATUS	DATE CREATED	LOCALE	DATE MODIFIED	LOCKED BY
<input type="checkbox"/> _Cloneable C...			(Local copy)		8/1/2024 10:57 A...	en-AU	8/1/2024 10:57 A...	
<input type="checkbox"/> _Structure			(Local copy)		7/22/2024 2:05 PM	en-AU	7/22/2024 2:05 PM	
<input type="checkbox"/> About			200 Example Content		7/10/2024 11:17 ...	en-AU	7/10/2024 11:17 ...	

The delete action is now available in bundles and search folders

Introduced a new icon for the Remove from bundle action.

Now displaying the delete action when inside a bundle or search folder.




Copy/paste fix

Copy/paste behavior is now aligned with the behavior in Classic UI and Windows Explorer.

When pasting into a folder (or other container item) via the context menu, the item(s) will be pasted inside the folder.

Previously, the items would be pasted at the same level as the folder.

This change applies to both the tree and the table.



Filter out non-applicable activities

The screenshot displays a web application interface for managing workflow activities. The main area shows a table of activities with columns for definition, date assigned, assigned to, publication, performer, primary item, date started, status, and name. A 'Finish activity' dialog is open, prompting the user to select the next activity from a dropdown menu, with 'Accept' and 'Reject' options. A network inspector on the right shows a REST API response for a PUT request to the endpoint `/api/v3.0/items/tcm_12-61-131088`. The response is a JSON object containing metadata and a list of next activity definitions. Two items in the `NextActivityDefinitions` array are highlighted with red boxes: 'Accept' (ID: tcm:12-62-131088) and 'Reject' (ID: tcm:12-63-131088).

ACTIVITY DEFINITION	DATE ASSIGNED	ASSIGNED TO	PUBLICATION	PERFORMER	PRIMARY ITEM	DATE STARTED	STATUS	NAME
Review Task	9/2/2024 12:13 PM	Admin	200 Example Content	Admin	worktest	9/2/2024 12:13 PM	IN PROGRESS	4. Review Task
Review Task	9/2/2024 12:01 PM	Admin	400 Example Site	Admin	Task Process New 2	9/2/2024 12:01 PM	IN PROGRESS	4. Review Task
Review Task	9/2/2024 11:36 AM	Admin	400 Example Site	Admin	Task Process New		ASSIGNED	9. Review Task
Review Task	9/2/2024 11:23 AM	Editor	200 Example Content	Non-Admin	workflow-test	9/2/2024 12:26 PM	IN PROGRESS	4. Review Task
Translation Review	8/29/2024 2:21 PM	Admin	Diamond Blueprint - 03 Source-Target B		[WF Translation 1]		ASSIGNED	3. Translation Review
Translation Review	8/29/2024 2:21 PM	Admin	Diamond Blueprint - 03 Source-Target B		[WF Translation 1]		ASSIGNED	3. Translation Review
Translation Review	8/28/2024 5:44 PM	Admin	Diamond Blueprint - 04 T...				ASSIGNED	3. Translation Review
Review Task	8/28/2024 6:41 AM	Admin	N2				ASSIGNED	7. Review Task
Perform Task	7/18/2024 5:41 PM	Admin	000 Empty				ASSIGNED	action1
Review Task	7/12/2024 8:50 AM	Admin	110 DXA Site Type				ASSIGNED	3. Review Task
Perform Task	7/12/2024 8:49 AM	Admin	100 Master				ASSIGNED	1. Perform Task
Review Task	7/11/2024 10:46 PM	Admin	400 Example Site				ASSIGNED	3. Review Task
Perform Task	7/11/2024 8:44 AM	Admin	400 Example Site				IN PROGRESS	1. Perform Task
Perform Task	7/11/2024 8:44 AM	Admin	200 Example Content				ASSIGNED	1. Perform Task
Perform Task	7/11/2024 8:44 AM	Admin	200 Example Content				ASSIGNED	1. Perform Task
Perform Task	7/10/2024 11:42 AM	Sites Administrator GLO...	200 Example Content	Sites Administrator GLO...			IN PROGRESS	1. Perform Task
Perform Task	7/10/2024 11:42 AM	Sites Administrator GLO...	200 Example Content	Sites Administrator GLO...			IN PROGRESS	1. Perform Task
Perform Task	7/10/2024 11:41 AM	Sites Administrator GLO...	200 Example Content	Sites Administrator GLO...			IN PROGRESS	1. Perform Task
Perform Task	7/10/2024 11:41 AM	Sites Administrator GLO...	200 Example Content	Sites Administrator GLO...	New Workflow Com...	7/10/2024 11:41 AM	IN PROGRESS	1. Perform Task
Perform Task	7/10/2024 11:37 AM	Sites Administrator GLO...	200 Example Content	Sites Administrator GLO...	TextWorkflow	7/10/2024 11:37 AM	IN PROGRESS	1. Perform Task
Perform Task	7/10/2024 11:37 AM	Sites Administrator GLO...	200 Example Content	Sites Administrator GLO...	workflow-test	7/10/2024 11:37 AM	IN PROGRESS	1. Perform Task
Perform Task	7/10/2024 11:37 AM	Sites Administrator GLO...	200 Example Content	Sites Administrator GLO...	TestWorkflow	7/10/2024 11:37 AM	IN PROGRESS	1. Perform Task
Perform Task	7/10/2024 11:37 AM	Sites Administrator GLO...	200 Example Content	Sites Administrator GLO...	WorkflowShared	7/10/2024 11:37 AM	IN PROGRESS	1. Perform Task
Perform Task	7/10/2024 11:37 AM	Sites Administrator GLO...	200 Example Content	Sites Administrator GLO...	Copy of TextWorkflow	7/10/2024 11:37 AM	IN PROGRESS	1. Perform Task
Perform Task	7/10/2024 11:36 AM	Sites Administrator GLO...	200 Example Content	Sites Administrator GLO...	Workflow	7/10/2024 11:36 AM	IN PROGRESS	1. Perform Task

```
{
  "Type": "DELETE",
  "HateoasLink": {
    "href": "http://10.100.92.199:81/ui/v3.0/items/tcm_12-61-131088",
    "rel": "tcm:Edit",
    "type": "PUT"
  },
  "ContextRepository": {
    "Type": "Link",
    "IdRef": "tcm:0-12-1",
    "Title": "Diamond Blueprint - 03 Source-Target B"
  },
  "Description": "Review and update translations.",
  "ExpirationScript": "",
  "ExpirationScriptType": "CSharp",
  "ExtensionProperties": {
    "Type": "ExtensionPropertyDictionary",
    "tm_activitytransitionsToHide": "tcm:12-64-131088"
  },
  "FinishApprovalStatus": {
    "Type": "Link",
    "IdRef": "tcm:0-0-0",
    "Title": "Undefined"
  },
  "IsEditable": false,
  "Listlinks": [],
  "LoadInfo": {
    "Type": "LoadInfo",
    "ErrorMessage": "",
    "ErrorType": "None",
    "State": "FullyLoaded"
  },
  "NextActivityDefinitions": [
    {
      "Type": "Link",
      "IdRef": "tcm:12-62-131088",
      "Title": "Accept"
    },
    {
      "Type": "Link",
      "IdRef": "tcm:12-64-131088",
      "Title": "Obsolete"
    },
    {
      "Type": "Link",
      "IdRef": "tcm:12-63-131088",
      "Title": "Reject"
    }
  ],
  "PerformingTimeout": 0,
  "ProcessDefinition": {
    "Type": "Link",
    "IdRef": "tcm:12-4-131074",
    "Title": "Translation Review"
  },
  "Script": "",
  "ScriptType": "CSharp"
}
```

Allow users to select next assignee

← → ↻ Not secure 10.100.97.4:81/ui/editor/component?item=tcm:4-5452&tab=general.content ☆ | 🏠 | 📄 | 🟢 | ⋮

Tridion Sites Content Activities Publishing Admin 🔔 ?

🏠 📁 New Component3 Last saved a day ago 📄 Save ✅ Finish

General History Blueprint Where used Published to View on site Translation Information

Name *

Schema *

Content

Text

This item is associated with workflow activity instance "1. Perform Task1" (tcm:4-2040-131104)

Next activity display name

Comment

Assign to user

 🔍

CoreService REST Get items improvements

Added additional filter options
rloltemTypes filters by item type
recursive, set to *true* returns items from all levels of the nested organizational items
details, controls the details level such as *Contentless*,
IdAndTitle,
WithApplicableActions must be returned for each item

GET /api/v3.0/items/{escapedContainerId}/items Gets a list of items inside a specified container item (Publication or Organizational Item) ^

Name	Description
escapedContainerId * required string (path)	The TCM URI or ECL URI of a container item: either a Publication or an Organizational Item such as a Bundle, Category, External Container, Folder or Structure Group. Escape the colon by replacing it with an underscore. For example: "tcm_0-1-1". <input type="text" value="escapedContainerId"/>
useDynamicVersion boolean (query)	Loads a dynamic version (if available for the current user) <input type="text" value="false"/>
rloltemTypes array[string] (query)	The item types of all repository-local objects that you want to include in the response. <input type="text" value="Page, PageTemplate, TargetGroup, Category, Keyword"/>
recursive boolean (query)	If false, only items directly inside the given container are returned. If true, items in nested Organizational Items (recursively) are also returned. For External Containers this parameter is ignored. External Content Library does not support recursive lists. <input type="text" value="false"/>
details string (query)	Specifies the level of details of list entries. <input type="text" value="Contentless"/>

Additional Items (also available as hotfixes for 10)

- Display a notification if there's an error when attempting to publish an item
- Miscellaneous UI
 - Various improvements to component template selection
 - Differentiate activity filter options by including the publication
 - Focus but don't select the first item in the table/grid on browse
 - Add delete action for items in bundles and search folders
- Pasting via the context menu on a container should paste inside the container
- Improved stability of rich text editor when running extensions
- Filter out non-applicable next activities in translation workflows
- Allow users to select the assignee for the next activity

10.1 Platform Updates

Content Manager

- ✓ Support of TLS 1.3
- ✓ Java 21 support
- Tridion Search Upgrade – work in progress
 - SOLR to v 9.6
 - Apache Tomcat to v 9

Content Delivery

- Java 21 LTS
- Spring 6
- SpringBoot 3
- Hibernate 6
- Tomcat 10
- Jakarta namespace switch

Long-Term Support for 10.1



Moving to .NET 8 required some significant code changes and therefore we have decided not to backport those changes to 10.0. Instead those changes are going to be rolled in 10.1 where we will be able to do more exhaustive testing than with a backport hotfix.

But to help our customers with their planning, we have decided to make 10.1 into a Long-Term Support release.

Note that 10.0 LTS customers can still stay on the older versions of .NET if they need more time before upgrading to 10.1.



03.

**Recap of
Tridion Sites 10.1.1
Launched June 4, 2025**

Primary Feature:

- Advanced Search in Experience Space

Experience Space Search

New Advanced Search feature

Parity with Classic UI supporting:

- ✓ Searching in all content (everywhere) or limit to item names or descriptions only
- ✓ Search within a certain context (folder) with or without including subfolders
- ✓ Filter search results by using same filter options as provided in Classic UI
- ✓ Option to save your search query and reset

Experience Space Search

Extras in Experience Space:

Columns:

Re-ordering (drag and drop)

Additional sort options

Change visible columns per user via Column configurator

Settings saved

Reset to default

Export

Experience Space Search

Content Manager << ↑ 100 Master (7)

Filters: Publication Schemas Status Type

Sort by: None

NAME	STATUS	SCHEMA	PARENT	MODIFIED
ballon-burner	🔒	Folder	400 Example Site	23 Apr 2020
bitcoin	🔒	Image	000 Empty	6 May 2019
Homepage	🔒	Page	000 Empty	27 Nov 2019
Research Article	🔒	Article	000 Empty	20 Apr 2020
Section	🔒	Video	000 Empty	3 Mar 2020
Teaster	🔒	Teaser	000 Empty	4 Apr 2020
Youtube Video	🔒	Video	000 Empty	3 Mar 2020

Publications > 400 Example Site > Building Blocks

Clicking **Search** icon in Insights panel opens sidebar with focus in **Search term** field

Search

Save search Apply

Search in 100 Master
 Include subfolders

Search term

Search everywhere
 Search for Item Names Only
 Search in Item Descriptions Only
 Case-sensitive

Author

Keywords

Publish status

BluePrinting

From publication

Based on Schema

Workflow

Process

State

Number of results

Experience Space Search

The screenshot displays the Tridion Sites Content Manager interface. On the left is a navigation pane with 'Content Manager' and a search bar. The main area shows 'Search results (4)' with a table of results. On the right is a search filter panel with various options like 'Search in', 'Search term', 'Author', 'Keywords', etc.

NAME	STATUS	SCHEMA	PARENT	MODIFIED
bitcoin	🔒	Image	000 Empty	6 May 2019
Homepage Bitcoin	🔒	Page	000 Empty	27 Nov 2019
Research about bitcoin	🔒	Article	000 Empty	20 Apr 2020
bitcoin	🔒	Video	000 Empty	3 Mar 2020

✓ Apply

Apply the search filters and display results

🔍 Save search query

Save search query to new search folder

↺ Reset

Return all filters to default states, but doesn't clear results table

Clear search results

Get user back to search context (100 Master)



04.


Tridion Sites 10.1.2 Coming December, 2025

Primary Features:

- Translations view in Experience Space
- Translation Job improvements
- Workflow Activity Revert
- Custom Defaults
- REST API

Translations view in Experience Space

- ❖ Similar to Activities and Publishing
- ❖ Only appears when Translation Manager is installed
- ❖ Same columns as Classic UI (by default) + "Created by"
- ❖ Optional columns (via configurator)
 - Modified by
 - Date Created
 - Date due
 - Action
- ❖ Filters (Including free text filter)
- ❖ Sort (Including quick sort by clicking on headers)



The screenshot displays the 'Translations' view in Tridion Sites. The interface includes a search bar, filter options, and a table of translation jobs. The table has the following columns: NAME, DATE MODIFIED, TYPE, LANGUAGE, PUBLICATION, PROGRESS, STATUS, and CREATED BY. The table contains 22 rows of data, each representing a translation job with various details such as source and target languages, progress percentages, and status indicators (e.g., DEFINITION, IN TRANSLATION, COMPLETED, CANCELLED, ERROR RETRIEVED).

NAME	DATE MODIFIED	TYPE	LANGUAGE	PUBLICATION	PROGRESS	STATUS	CREATED BY
<input type="checkbox"/> TargetLanguages	6/5/2025 12:02 PM	From	English (United Kingdom)	200 Global Content (EN-GB)		DEFINITION	Admin
<input type="checkbox"/> TestComp1	6/5/2025 11:58 AM	From	English (United Kingdom)	200 Global Content (EN-GB)		PENDING JOB TRANSLATION	Admin
<input type="checkbox"/> InTranslationDisplayStateToOtherStates	6/5/2025 11:31 AM	From	English (United States)	Diamond Blueprint - 02 Source		IN TRANSLATION	Admin
<input checked="" type="checkbox"/> Copy of Component_Shared_Push	6/5/2025 11:26 AM	From	English (United States)	Diamond Blueprint - 02 Source	75%	ERROR RETRIEVED	Admin
<input type="checkbox"/> Copy of Component_Shared_Push	6/5/2025 11:23 AM	From	English (United States)	Diamond Blueprint - 02 Source	100%	COMPLETED	Admin
<input type="checkbox"/> TMCCompTEST	6/5/2025 11:01 AM	From	English (United States)	Diamond Blueprint - 02 Source	50%	COMPLETED	Admin
<input type="checkbox"/> TTTEXT	6/5/2025 11:01 AM	From	English (United States)	Diamond Blueprint - 02 Source	25%	CANCELLED	Non-Admin
<input type="checkbox"/> NotItemError	6/5/2025 10:01 AM	From	English (United States)	Diamond Blueprint - 02 Source		DEFINITION	GLOBAL\user00
<input type="checkbox"/> Test Structure Group	6/5/2025 9:56 AM	From	English (United Kingdom)	200 Global Content (EN-GB)		DEFINITION	Admin
<input type="checkbox"/> Shared Items	6/5/2025 9:52 AM	From	English (United States)	Diamond Blueprint - 02 Source		DEFINITION	Non-Admin
<input type="checkbox"/> Copy of TMCComp non admin122	6/4/2025 2:17 PM	From	English (United States)	Diamond Blueprint - 02 Source		DEFINITION	Non-Admin
<input type="checkbox"/> Copy of TMCComp non admin	6/4/2025 2:16 PM	From	English (United States)	Diamond Blueprint - 02 Source		DEFINITION	Non-Admin
<input type="checkbox"/> TMCComp	6/4/2025 11:01 AM	From	English (United States)	Diamond Blueprint - 02 Source	25%	CANCELLED	Admin
<input type="checkbox"/> Copy of TMCComp...	6/4/2025 11:01 AM	From	English (United States)	Diamond Blueprint - 02 Source	25%	CANCELLED	Admin
<input type="checkbox"/> testn	6/3/2025 11:54 AM	From	English (United States)	Diamond Blueprint - 02 Source	25%	IN TRANSLATION	Admin
<input type="checkbox"/> workflow	6/3/2025 11:53 AM	From	English (United Kingdom)	200 Global Content (EN-GB)	100%	COMPLETED	Admin
<input type="checkbox"/> newtest	6/3/2025 11:49 AM	From	English (United Kingdom)	200 Global Content (EN-GB)	100%	COMPLETED	Admin
<input type="checkbox"/> New Component	6/3/2025 11:48 AM	From	English (United Kingdom)	200 Global Content (EN-GB)	100%	COMPLETED	Admin
<input type="checkbox"/> test	6/3/2025 11:34 AM	From	English (United Kingdom)	200 Global Content (EN-GB)	100%	COMPLETED	Admin
<input type="checkbox"/> test	6/3/2025 11:30 AM	From	English (United Kingdom)	200 Global Content (EN-GB)	100%	COMPLETED	Admin
<input type="checkbox"/> Test Structure Group	6/2/2025 4:04 PM	From	English (United Kingdom)	200 Global Content (EN-GB)		DEFINITION	Admin
<input type="checkbox"/> Test Structure Group	6/2/2025 3:45 PM	From	English (United Kingdom)	200 Global Content (EN-GB)		DEFINITION	Admin
<input type="checkbox"/> Test Structure Group	6/2/2025 3:34 PM	From	English (United Kingdom)	200 Global Content (EN-GB)	100%	COMPLETED	Admin
<input type="checkbox"/> Test Structure Group	6/2/2025 3:34 PM	From	English (United Kingdom)	200 Global Content (EN-GB)		ERROR RETRIEVED	Admin
<input type="checkbox"/> Test Structure Group	5/31/2025 11:02 AM	From	English (United Kingdom)	200 Global Content (EN-GB)	95%	CANCELLED	Admin
<input type="checkbox"/> CheckedOutTargetItem	5/30/2025 11:01 AM	From	English (United States)	Diamond Blueprint - 02 Source		CANCELLED	GLOBAL\user00

Translations view – Panels



- ❖ Target languages
- ❖ Added items
- ❖ Resolved items
- ❖ Notifications

This screenshot shows a panel titled "Copy of Component_Shared_Push" with a close button. Below the title is a search bar labeled "Filter by language or publication". Underneath, there are four expandable sections for target languages: "Dutch (Belgium)", "Dutch (Netherlands)", "French (France)", and "German (Germany)". Each section has a dropdown arrow on the right. On the right side of the panel, there are three icons: a plus sign, a hamburger menu, and a document icon.

This screenshot shows the same panel as the previous one, but with the target language sections expanded to show added items. Each language section now contains a globe icon and a text label: "Dutch (Belgium)" has "Diamond BluePrint - 03 Source-Target C", "Dutch (Netherlands)" has "Diamond BluePrint - 03 Source-Target B", "French (France)" has "Diamond BluePrint - 03 Source-Target A", and "German (Germany)" has "Diamond BluePrint - 03 Source-Target D". The right-side icons remain the same.

Translations view – Panels

- ❖ Target languages
- ❖ **Added items**
- ❖ Resolved items
- ❖ Notifications



Translations view – Panels

- ❖ Target languages
- ❖ Added items
- ❖ Resolved items
- ❖ Notifications

The screenshot shows a panel titled "TMBundle" with a close button (X) and a search icon (A x). Below the title bar is a "Resolved items" section with a search filter. The list of items includes:


- TMFolder1
- Test Structure Group
- TestCategory
- Category1
- Test
- TMBundle
- Component1
- Copy of Component1
- Copy 2 of Component1
- TMTestPage
- TestKey
- Copy of TestKey
- New Component
- test1
- test2
- TestComp1
- New Componenttest
- Testpage

The screenshot shows a panel titled "Test Structure Group" with a close button (X) and a search icon (A x). Below the title bar is a "Resolved items" section with a search filter. The list of items includes:

- Test Structure Group
- TMTestPage
- Copy 2 of Component1
- Copy of Component1
- Component1


Translations view – Panels

- ❖ Target languages
- ❖ Added items
- ❖ Resolved items
- ❖ **Notifications**



The screenshot shows a panel titled "MultipleItemsJob" with a close button (X) and a refresh button (A with a square). Below the title bar is a "+" icon and a menu icon (three horizontal lines). The main content area is titled "Notifications" and contains two error messages, each with a red exclamation mark icon and a copy icon:

- Error**
Validation failed for item "(Component_Shared_Push)"
(tcm:12-1154)
- Error**
Validation failed for item "(Multimedia_Shared_Push)"
(tcm:12-1177)





The screenshot shows a panel titled "Warning" with a close button (X) and a refresh button (A with a square). Below the title bar is a "+" icon and a menu icon (three horizontal lines). The main content area is titled "Notifications" and contains one warning message, with a yellow exclamation mark icon and a copy icon:

- Warning**
The Item is currently not in the Translation Manager Retrieve workflow activity in Tridion Sites; retrieval of the item will be retried later.

Translations view – Actions

- ❖ Open editor
- ❖ Clone
- ❖ Retry
- ❖ Send for translation
- ❖ Delete
- ❖ Export
- ❖ Refresh



Note that for 10.1.2, all actions except export can only be performed on individual jobs.

Translation Job Editor

Updated existing translation job modal dialog to support

- ❖ Creation of jobs in definition state
- ❖ Adding items for translation to an existing job
- ❖ Editing and viewing of existing translation jobs
- ❖ Send items for translation

AG Grid was replaced with our own table to ease development and reduce technical debt.

Still to do

- ❖ Tabs: added items, resolved items and notification

The screenshot shows a 'Translate' modal dialog with two tabs: 'General' and 'Workflow'. The 'General' tab is active and contains the following fields and options:

- Translation job name***: A text input field containing 'Content'.
- Date required**: A date picker field showing 'Select date'.
- Include previously translated items
- Translate components and keywords
- Translate pages and organizational items

On the right side, there is a table with two columns: 'TARGET PUBLICATION' and 'LANGUAGE'. The table contains two rows of data:

TARGET PUBLICATION	LANGUAGE
<input checked="" type="checkbox"/> Diamond Blueprint - 03 Source-Target B	Dutch (Netherlands)
<input checked="" type="checkbox"/> Diamond Blueprint - 03 Source-Target A	French (France)

At the bottom right of the dialog, there are three buttons: 'Save', 'Send for translation' (highlighted in green), and 'Cancel'.

Translation Job Editor

- ❖ Ability to create new translation job in definition state
- ❖ Ability to edit translation jobs in definition state or send for translation

Translate

Create new translation Job
 Add to existing translation Job

Filters: Created by Date modified Language

Sort by: (None)

NAME	DATE MODIFIED	LANGUAGE	CREATED BY
TestComponents	6/4/2025 4:23 PM	English (United States)	Admin
Components	6/4/2025 4:23 PM	English (United States)	Admin
Folderwithcomponents	6/4/2025 4:22 PM	English (United States)	Admin
Folderone	6/4/2025 4:21 PM	English (United States)	Admin
Job31	6/4/2025 10:53 AM	English (United States)	Admin
Validation_Component With Embedded Field	6/4/2025 10:52 AM	English (United States)	Admin
Bundle_TranslateOrgItem1	6/4/2025 10:36 AM	English (United States)	Admin
Bundle_TranslateOrgItem	6/3/2025 4:27 PM	English (United States)	Admin

Continue Cancel

Translate

General Workflow

Translation job name*

Review Warning Message Details

Date required

Select date


Include previously translated items

TARGET PUBLICATION	LANGUAGE
<input checked="" type="checkbox"/> Diamond Blueprint - 03 Source-Target B	Dutch (Netherlands)
<input checked="" type="checkbox"/> Diamond Blueprint - 03 Source-Target A	French (France)

Save Send for translation Cancel


Adding items to a translation job

- ❖ Options to add items to an existing translation job or create a new job
- ❖ List of available jobs has configurable columns and filters
- ❖ User settings are preserved and can be reset to default



The screenshot shows the 'Translate' window with the 'Add to existing translation Job' option selected. A table lists various translation jobs with columns for Name, Date Modified, Language, and Created By. The 'Folderwithcomponents' job is highlighted.

NAME	DATE MODIFIED	LANGUAGE	CREATED BY
Components	6/4/2025 4:30 PM	English (United States)	Admin
TestComponents	6/4/2025 4:23 PM	English (United States)	Admin
Folderwithcomponents	6/4/2025 4:22 PM	English (United States)	Admin
Folderone	6/4/2025 4:21 PM	English (United States)	Admin
Job31	6/4/2025 10:53 AM	English (United States)	Admin
Validation_Component With Embedded Field	6/4/2025 10:52 AM	English (United States)	Admin
Bundle_TranslateOrgItem1	6/4/2025 10:36 AM	English (United States)	Admin
Bundle_TranslateOrgItem	6/3/2025 4:27 PM	English (United States)	Admin



The screenshot shows the 'Translate' window with the 'Send for translation' dialog box open. The dialog asks 'Are you sure you want to send this translation job?' and has 'Send' and 'Cancel' buttons.

Translation job name*
Folder with components

DATE REQUIRED
Select date

TARGET PUBLICATION
 Diamond Blueprint - 03 Source-Target B
 Diamond Blueprint - 03 Source-Target A

LANGUAGE
Dutch (Netherlands)
French (France)


Include previously translated items
 Translate components and keywords
 Translate pages and organizational items

Send for translation
Are you sure you want to send this translation job?
Send Cancel

Activities view


Revert workflow process

- ❖ Ability to revert the active workflow process associated with the selected activity (supports batch revert).




The screenshot shows the 'Activities' tab in the Tridion Sites interface. The header includes 'Tridion Sites' and navigation tabs for 'Content', 'Activities', 'Publishing', and 'Translations'. Below the header, there's a section for 'Workflow Activities (3 items, 1 selected)'. This section contains a toolbar with icons for refresh, download, and revert. A search bar labeled 'Filter activities' and a 'Filters' dropdown are also present. Below the toolbar is a table with three columns: 'ACTIVITY DEFINITION', 'DATE ASSIGNED', and 'ASSIGNED TO'. The table lists three activities: 'Translation Review', 'Review Task' (which is selected), and 'Perform Task'.

ACTIVITY DEFINITION	DATE ASSIGNED	ASSIGNED TO
<input type="checkbox"/> Translation Review	6/3/2025 10:42 AM	Admin
<input checked="" type="checkbox"/> Review Task	6/2/2025 1:32 PM	Admin
<input type="checkbox"/> Perform Task	5/27/2025 5:32 AM	Admin



The dialog box is titled 'Revert process'. It contains a warning message: 'Are you sure you want to revert the workflow process associated with the current selection? Any changes made in connection with this process will be discarded.' At the bottom right, there are two buttons: a red 'Revert' button and a grey 'Cancel' button.



The notification message shows a green checkmark icon followed by the text: 'Workflow process reverted'. Below this, it says: '"Task Process A" has been successfully reverted.' There is a close button (an 'x' in a circle) in the top right corner of the notification box.

Custom defaults

Different customers have different requirements when it comes to default dialog values and general UI behavior.

Starting in 10.1.2, admin users will be able to use the Rest API to customize: defaults for the Publish/unpublish dialogs, open behavior for item editors (same versus new tab), whether the link to Classic UI is displayed

In this PI, we've added support for four fields in the publish/unpublish dialogs.

Additional customization options will be added in the upcoming PI and future releases.

Custom defaults

Here's an example configuration showing how to set defaults for the four publish dialog settings currently implemented.

```
{
  "$type": "Settings",
  "Data": {
    "defaults": {
      "publishing": {
        "publishNewContent": false,
        "includeComponentLinks": false,
        "includeItemsInProgress": false,
        "targetTypeIds": [
          "tcm:0-2-65538",
          "tcm:0-2-65538"
        ]
      }
    }
  }
}
```

Note that these defaults always override the user's last selection. We might add an option to allow customers to specify whether these defaults can be overridden.

The background of the slide is a close-up photograph of numerous red fiber optic cables. The cables are bundled together and fan out, creating a dense, textured pattern of fine lines. The lighting is dramatic, highlighting the individual strands and creating a sense of depth and movement. The overall color palette is a rich, vibrant red.

**Content Manager
REST API
10.1.2 Changes**

Translation Manager resolved items

New endpoints

GET resolved items for existing job

POST resolved items for new (unsaved) job

Processes a list of added items and returns those that are eligible for translation - either already sent or ready to be sent to translation

For example, you send a bundle to translation. Resolved items will help you to check which items from this bundle will be sent to translation such as bundle itself, or components, pages, or organizational items

GET /api/v3.0/translationJobs/{jobId}/resolvedItems Get resolved items for existing translation job.

This operation returns an instance of 'TmResolvedItem' type.

Parameters Cancel

Name	Description
jobId * required integer(\$int32) (path)	The ID of the translation job to get resolved items for. <input type="text" value="jobId"/>
includeItemsInvalidForTranslation boolean (query)	Include items that is not valid for translation. {Tridion.TranslationManager.OpenApi.V3.Dto.TmResolvedItem.Comment} property explains why item considered to be not valid for translation. <input type="text" value="false"/>
details string (query)	Specifies the level of details in the returned items. <input type="text" value="IdAndTitleOnly"/>

POST /api/v3.0/translationJob/resolveItems Get resolved items for new (unsaved) translation job.

This operation returns an instance of 'TmResolvedItem' type.

Parameters Cancel

Name	Description
translationJob * required object (body)	The translation job model to resolve items for. Edit Value Model <pre>{ "Id": 0, "Title": "string", "AddedItems": [{ "IdRef": "string", "Title": "string", "ItemTypeWithSubtype": "string", "ResolveOptions": ["TranslateContainerItems"] }], "ApplicableActions": [{ "Type": "HateosLink", "Href": "string", "Rel": "string", "Type": "string" }] }</pre> Cancel

Support adding items to definition job

New endpoint *applicableJobs* added to support adding items into existing translation job in definition state

Returns list of jobs applicable for specified items

POST /api/v3.0/applicableJobs Gets an overview of translation jobs where a given set of items can be added to.

This operation returns an instance of 'TranslationJobOverview' type or one of the following inherited types:

- TranslationJob

Parameters Cancel

Name	Description
itemsIds * required array[string] (body)	The TCM/ECL URIs of items to add to a job. Edit Value Model
	<pre>["tcm:10-1653", "tcm:10-1654", "tcm:10-1655"]</pre>
	Cancel
	Parameter content type application/json
jobType string (query)	If specified (not None), only return jobs of this type (Push/Pull). None

Experience Space Application setting

Introduced *ExperienceSpace* Application setting

This setting will be used to store system wide customizable defaults for Experience Space, for example publish settings

Supports security where only system administrator can change or delete it

PUT /api/v3.0/applicationSettings Saves application settings with specified application Id

Parameters Cancel

Name	Description
applicationId * required string (query)	The id of an Application (case-insensitive). <input type="text" value="ExperienceSpace"/>
applicationSettings * required object (body)	Edit Value Model <pre>{ "Stype": "Settings", "Data": { "TestSetting": "Test value", "NestedSettings": { "TestNestedSettings": 555 } }, "PublishSettings": "RepublishOnly" }</pre>

Cancel

Parameter content type

Force finish workflow process

New endpoint *forceFinishProcess*

Used to force finish workflow process of the given activity or process instance

Exposed *finishProcess* applicable action in activity instance, that is used to determine if the user can finish or revert the process

POST /api/v3.0/items/{escapedActivityOrProcessInstanceId}/forceFinishProcess Force finishes a Workflow Process.

This operation returns an instance of 'ProcessHistory' type.

Parameters Try it out


Name	Description
escapedActivityOrProcessInstanceId * required string (path)	The escaped TCM URI of the Process Instance to finish or of an Activity Instance for which to finish the Process Instance it is part of. <input type="text" value="escapedActivityOrProcessInstanceId"/>
approvalStatusId * required string (query)	The TCM URI of the Approval Status for all the items in the Workflow Process. <input type="text" value="approvalStatusId"/>
returnFullProcessHistory boolean (query)	If set to true, the full Process History which is created by finishing the Workflow Process is returned. If false (the default), only its identifier is returned. <i>Default value</i> : false <input type="text" value="false"/>

Responses Response content type

Preview rendered content

New endpoint *render*

Used to get rendered content source as it would be rendered during publishing



GET `/api/v3.0/items/{escapedItemId}/render` Renders a given item.

This operation returns an instance of 'RenderedItem' type.

Parameters Try it out

Name	Description
escapedItemId * required string (path)	The escaped TCM/ECL URI of the item to render. <input type="text" value="escapedItemId"/>
templateId string (query)	Optional TCM URI of a Template to render with. <input type="text" value="templateId"/>
useDynamicVersion boolean (query)	Specifies whether the dynamic version of the item should be rendered (if applicable). Default value : true <input type="text" value="true"/>

Responses Response content type

Support workflow process definition editing

New endpoints

GET Workflow script types

GET Approval statuses

Rest API now has full support for workflow process definition editing

GET /api/v3.0/workflowScriptTypes Gets all workflow script types

This operation returns an instance of 'WorkflowScriptType' type.

Parameters Cancel

No parameters

Execute **Clear**

GET /api/v3.0/approvalStatuses Gets all Approval Statuses

This operation returns an instance of 'ApprovalStatus' type.

Parameters Cancel

Name	Description
details string (query)	Specifies the level of details of list entries. <input type="text" value="IdAndTitleOnly"/>

Execute **Clear**



Tridion Sites 10.1.3 **March 2026**

Several Updates
Available as a hotfix 😊

05.

BIG NEWS!

In the 10.1.3 release we are going to have the Tridion Sites MCP Server (Early Release) available for our clients to try out in their development environments. We are also happy to conduct free workshop sessions to show customers how it works and gather feedback.

Model Context Protocol (MCP) Server

NEW

Context is: someone drops a bunch of unstructured images and text files on your desktop and now you've got to go through and figure out how to get the content into Tridion....

Could you help me to create news articles in Tridion using the data from my Text directory? Ask me for each step you will take.

Click to Edit

> Used 1 reference

I'd be happy to help you create news articles in Tridion using the data from your Text directory! Let me first understand what we're working with and then outline the steps I'll take.

Let me examine the text files in your Text directory to see what content we have:

✓ Read Text

I can see you have several text files that could be converted into news articles. Before proceeding, I need to understand your Tridion setup better. Here are the steps I propose to take:

Proposed Steps:

1. **Get available Tridion Publications** - I'll list the publications in your Content Manager to understand where to create the articles
2. **Identify the target Schema** - I'll need to find an appropriate Schema for news articles (or ask you to specify one)
3. **Identify the target Folder** - Determine where in the publication structure to create these articles
4. **Read the text file content** - Examine the content of each text file to understand the structure and format
5. **Create Components** - Convert each text file into a Tridion Component using the appropriate Schema
6. **Provide summary with links** - Show you the created articles with Experience Space links

Questions before I proceed:

1. **Which Publication** should I use for creating these news articles?
2. **Do you have a specific Schema** for news articles, or should I look for an appropriate one?
3. **Which Folder** should I create the articles in?
4. **Should I process all text files** (Air pollution.txt, Brewing Company.txt, Broadway Jones (performer).txt, Japan Air Lines Flight 123.txt, SMS Hindenburg.txt) or do you want to start with specific ones?

Should I start by listing your available publications to help answer these questions?

🔄 🔍 📄 🗑️

- Analyze new content
- Match with appropriate schemas
- Propose a plan
- Validate with one case
- Repeat for the other cases

<https://tridion-videos.s3.us-west-1.amazonaws.com/tridion-sites/tridion-sites-10.5/Sites+10.5+-+MCP+Server.mp4>

Translation job editor


- Replaced the Translation job modal with editor
- Added support for showing metadata fields for TM job

The screenshot displays the 'Tridion Sites' interface for editing a translation job. The top navigation bar includes 'Content', 'Activities', 'Publishing', and 'Translations'. The current job is 'CF1 Submit Test'. The interface is divided into several sections:

- General:** Contains the 'Translation job name' (CF1 Submit Test), 'Date required' (Select date), and three checkboxes: 'Include previously translated items' (checked), 'Translate components and keywords' (unchecked), and 'Translate pages and organizational items' (checked).
- Metadata:** Features a search bar and two columns of keyword options. The 'Available options' column lists 'All Fields Test Keyword' and 'New Keyword' through 'New Keywordt'. The 'Selected options' column lists 'New Keyword2', 'New Keyword3', and 'New Keyword4'. 'Add' and 'Remove' buttons are at the bottom of these columns.
- Other fields:** Includes a 'A multi-line text field' with an '+ Add' button, a 'A number field' with the value '-43', and a 'Text' field with the value 'Enable options'.

Breadcrumb in Editors

Based on customer feedback, breadcrumbs are displayed in all editors to allow users to easily see the context.



Customizable default – Item selector

- When creating multiple new items via copy/paste, users may want to select linked items from a different location than used in the original (copied) item(s).
- In this scenario, defaulting to the location of the existing link can mean users need to repeatedly navigate to the new location.
- To address this, it's now possible to configure whether item selector displays the last visited location or the link's location.
- Setting 'prioritizeLastLocation' to true in application settings will change the behavior to match Classic UI. This is useful when editors want to replace links in a many components with components selected from a new location.

PUT /api/v3.0/applicationSettings Saves application settings with specified application Id

Parameters Cancel

Name	Description
applicationId * required string (query)	The id of an Application (case-insensitive).
applicationSettings * required object (body)	Edit Value Model

```
{
  "$type": "Settings",
  "Data": {
    "defaults": {
      "publishing": {
        "targetTypeIds": []
      },
      "contentExplorer": {
        "browseAction": "openEditor"
      }
    },
    "itemSelector": {
      "prioritizeLastLocation": "true"
    }
  },
  "defaults_example": {
    "publishing": {
      "publishNewContent": false,
      "includeComponentLinks": true,
      "includeItemsInProgress": false,
      "includeCurrentPublication": true,
      "priority": "normal",
      "publishInChildPublications": true,
      "targetTypeIds": []
    },
    "contentExplorer": {
      "browseAction": "openEditorInNewTab"
    }
  }
}
```

Cancel

Parameter content type
application/json


Execute Clear

Group membership visibility

To simplify security troubleshooting, we've added the ability to copy Group memberships in the UI.

User can easily review recursive group memberships and scopes restricted to specific publications.

```
User: 'AMSLDAP\MMouse' (tcm:0-21-65552)
Description: 'Admin'
Has publish rights: yes
Is administrator: yes
Is publication administrator: yes
Group memberships:
  'Everyone' (tcm:0-1-65568)
  'Business Process Type Manager' (tcm:0-11-65568)
  'Developer' (tcm:0-19-65568)
    '110 DXA Site Type' (tcm:0-3-1)
    '200 Example Content' (tcm:0-4-1)
    '400 Example Site' (tcm:0-5-1)
    '300 slddemo content en-us' (tcm:0-6-1)
  'Information Designer' (tcm:0-4-65568)
    'Diamond Blueprint - 03 Source-Target A' (tcm:0-11-1)
    'Blueprint - DO NOT MODIFY OR DELETE' (tcm:0-19-1)
    'Blueprint Child - DO NOT MODIFY OR DELETE' (tcm:0-20-1)
    'Blueprint GrandChild - DO NOT MODIFY OR DELETE' (tcm:0-21-1)
  'Site Manager' (tcm:0-18-65568)
    '110 DXA Site Type' (tcm:0-3-1)
    '200 Example Content' (tcm:0-4-1)
    '400 Example Site' (tcm:0-5-1)
    '300 slddemo content en-us' (tcm:0-6-1)
  'System Administrator' (tcm:0-2-65568)
Inherited system privileges:
tcm:SystemAdministration
tcm:ApprovalStatusManagement
tcm:MultimediaTypeManagement
```

**Admin**
AMSLDAP\MMouse

Language
English (United States) ▼


Region
English (United States) ▼

Group memberships
Copy your group and permission details to help troubleshoot access issues.
[Copy membership details](#)

[Sign out](#)

BluePrint panel – show all localized items

- ‘Localized in’ tab currently displays items directly **localized from** the context item
- Unlocalizing these items makes them **shared from** the context item (they move to the ‘Shared in’ list).
- Items localized further down the hierarchy (i.e., descendants of a localized item) were not displayed.
- To see ALL localized descendants, 10.1.3 introduces a ‘Show all’ toggle.
- This allows editors to see every item that may require an update or re-translation if the context item is modified.
- Requested by Acer but makes sense for as a general feature.



Graphene accessibility updates

New/Updated components:

- [New] Multiselect tree
- [New] Date picker
- [Updated] Select
- [Updated] Multiselect

And more:

- Added ability to **adjust height of TransferTree** and **TransferList** component using resize handle.
- Added **aria-describedby ARIA property** to input fields.
- **Show/hide functionality** for inputs.
- Title and role **attributes added** to ApplicationHeader.
- **~15 Bug fixes** in Graphene.

Our guidelines

Improved contrast = better visibility and readability for all users. *(WCAG 1.4.3 - Minimum contrast)*

Better spacing = easier to read labels and click. *(WCAG 1.4.12 - Text spacing)*

Focus state = supports keyboard navigation. *(WCAG 2.4.7 - Focus visible + 2.1.1 - Keyboard)*

Interaction feedback = confirms interaction. *(WCAG 3.2.2 - on input)*

Semantic HTML (<button>) = enhances screen reader and keyboard support. *(WCAG 1.3.1, 2.1.1, 4.1.2)*

Appropriate ARIA labels = providing clear context and description for screen readers.

Version Compare

All Field Types Component Final

Compare

All Field Types Component Final, v1.0 | All Field Types Component Final, v5.0 (Current)

Admin 12/18/2025 12:10 PM | Admin 12/19/2025 7:40 PM • Newer

9 field(s) changed Only show differences

Content > numberMV Added	
[3]: —	[3]: 4
Content > externalLinkMV Removed	
[1]: https://www.bing.com	[1]: —
Content > xhtmlMV Show raw XHTML Modified	
[0]: MV XHTML 1	[0]: MV XHTML 1 <i>MV XHTML 1 ITALIC</i>
[1]: MV XHTML 2	[1]: MV XHTML 2 MV XHTML 2 BOLD

Comparison_Page

Compare

PageTemplate	
Test_Page_Template	Test_Page_Template
Regions > Main > RegionSchema	
Test_Leaf_Region_Schema	Test_Leaf_Region_Schema
Regions > Main > Metadata > \$type	
FieldsValueDictionary	FieldsValueDictionary
Regions > Main > ComponentPresentations Modified	
[0]: CP1 Article	[0]: CP1 Carousel
[1]: CP2 Article	[1]: —
[2]: CP3 Article	[2]: CP3 Article
[3]: —	[3]: CP4 Article

Version Compare

- Only show differences by default (make it configurable?)
- Compare across versions and blueprint (also structure groups, keywords, etc.)
- Toggle between rendered and raw XHTML view
- Item links (e.g., component, schema, keyword, etc.) are navigable
- Menu options for opening, rolling back to, or deleting historical version
- Improved performance when computing differences for large blocks of text
- Dropdown options can be filtered by title/URI (e.g., -v4)



05.

Tridion Sites 10.5 Coming 2026

Primary Features:

- Agentic AI Extension Point
- Model Context Protocol Server

Everything TBD at the moment!

Model Context Protocol (MCP) Server

Since we are doing an Early Release of the MCP Server in 10.1.3, we plan to have another release of the MCP Server in the 10.5 timeframe using the feedback that we get from the early adopters.

We will also put together some documentation around common MCP Patterns.

<https://tridion-videos.s3.us-west-1.amazonaws.com/tridion-sites/tridion-sites-10.5/Sites+10.5+-+MCP+Server.mp4>



Version Comparison Matrices

05.

High level functional comparison matrix

Functional features	9.6	10	10.1	10.1.1	10.1.2	10,1.3	10.5
MCP Server (Full)	✗	✗	✗	✗	✗	✗	✓
MCP Server (Early Release)	✗	✗	✗	✗	✗	✓	✓
Agentic AI Extension Points	✗	✗	✗	✗	✗	✓	✓
Custom Defaults	✗	✗	✗	✗	✓	✓	✓
Translation Dashboard	✗	✗	✗	✗	✓	✓	✓
Workflow Definitions via REST API	✗	✗	✗	✗	✓	✓	✓
Advanced Search in Experience Space	✗	✗	✗	✓	✓	✓	✓
BluePrinting 3.0	✗	✗	✓	✓	✓	✓	✓
Translator Context View	✗	✗	✓	✓	✓	✓	✓
Cloud Accessibility Scorecard	✗	✗	✓	✓	✓	✓	✓
Extensibility Framework:	✗	✓	✓	✓	✓	✓	✓
Custom dashboards	✗	✓	✓	✓	✓	✓	✓
Custom action buttons	✗	✓	✓	✓	✓	✓	✓
Custom context menu actions	✗	✓	✓	✓	✓	✓	✓
Custom fields, including RTF fields	✗	✓	✓	✓	✓	✓	✓
Custom fields to retrieve data from an external system	✗	✓	✓	✓	✓	✓	✓
Custom columns in Content Explorer and Activities tab	✗	✓	✓	✓	✓	✓	✓
Batch uploading of multimedia assets	✗	✓	✓	✓	✓	✓	✓
Activities and Publishing dashboards	✗	✓	✓	✓	✓	✓	✓
View content as thumbnails (including WebP)	✗	✓	✓	✓	✓	✓	✓
Configure list views	✗	✓	✓	✓	✓	✓	✓

Technical comparison matrix

Technical features	9.6	10	10.1	10.1.1	10.1.2	10.1.3	10.5
.NET 8 Support	✗	✗	✓	✓	✓	✓	✓
Updated Database Support	✗	✗	✓	✓	✓	✓	✓
Semantic Content Models	✓	✓	✓	✓	✓	✓	✓
Targeted content recommendations (taxonomy-based)	✗	✓	✓	✓	✓	✓	✓
Concept scheme configuration and scoring	✗	✓	✓	✓	✓	✓	✓
Add-on management	✓	✓	✓	✓	✓	✓	✓
Option to store auditing data	✗	✓	✓	✓	✓	✓	✓
Enable/disable add-ons	✗	✓	✓	✓	✓	✓	✓
Access Management UI	✓	✓	✓	✓	✓	✓	✓
Register and manage custom applications from Access Management window	✗	✓	✓	✓	✓	✓	✓
Manage service accounts	✗	✓	✓	✓	✓	✓	✓
MCP Server Access Roles	✗	✗	✗	✗	✗	✓	✓
Shared delivery platform (DXD)	✓	✓	✓	✓	✓	✓	✓
Semantic Recommendations DXD	✗	✓	✓	✓	✓	✓	✓
GraphQL Content API	✓	✓	✓	✓	✓	✓	✓
Docker container support for DXD	✓	✓	✓	✓	✓	✓	✓
Governance Lock Management for users / groups	✗	✓	✓	✓	✓	✓	✓



Upgrade Considerations

06.



Platform and Product Upgrade Considerations


Upgrade overview

<https://docs.rws.com/en-US/tridion-sites-10-1-main-documentation-1174622/upgrading-tridion-sites-100494>

The 2 most common upgrade types are Staged and Rolling

The most important consideration is that if you wish to do a rolling upgrade it is always from the immediately preceding version. So for a rolling upgrade, you will have to go from **Sites 10** --> **Sites 10.1**

Upgrade paths – Staged Upgrade




A ***staged*** upgrade is where you upgrade the different parts of your infrastructure at different times.

In a staged upgrade, you must upgrade Content Manager environment before you upgrade your Content Delivery environments.

After that, you can upgrade the individual Content Delivery environments in any order you wish.

Most organizations upgrade the product using a staged upgrade.

Upgrade paths – Rolling upgrade



In a **rolling** upgrade, you separately upgrade the parts of a scaled-out environment so that you can minimize system downtime and guarantee that the upgraded parts of an environment continue to work while you continue with the upgrade.

In particular, the rolling upgrade means first upgrading the shared database and then upgrading the various application servers. A rolling upgrade is intended to support complex upgrades of scaled-out infrastructures by enabling you to gradually upgrade the various application servers.



Functional and Technical Upgrade Considerations

Dynamic Experience Accelerator (DXA) Customers

For customers that are using the reference delivery application (DXA) there are some considerations:

- Sites 10 and Sites 10.1 require DXA 2.3
- Recommendation is to upgrade DXA 2.3 first and then update Content Management and then Content Delivery
- DXA 2.3 is backwards compatible with 9.1 and above
- Code:
 - <https://github.com/RWS/dxa-web-application-dotnet>
 - <https://github.com/RWS/dxa-web-application-java>

Move to Experience Space

In Sites 9.5, we introduced a brand new visual interface for content authors called, **Experience Space**. The old **Classic UI** is still available but we recommend that customers consider moving users to the new visual interface. It provides a modern editing experience and new features are being release only in **Experience Space**.

One factor to consider is that some customers have GUI extensions on the **Classic UI**.

Our recommendation is to analyze:

1. Which extensions are no longer needed because the feature is supported natively
2. Which extensions are rarely used and can continue to live in the **Classic UI**
3. Which extensions should be migrated to **Experience Space** using the Extensions Framework that was introduced in Sites 10.

Streamlining the Content Model with BluePrinting 3.0

One consideration after your platform has been upgraded to Sites 10.1 is that BluePrinting 3.0 is going to allow for a far more efficient and simplified content model.

Our recommendation is to upgrade to 10.1 first but then leave some time to analyze which schemas can be streamlined using the new feature.

Our goal is that the conditional inheritance feature of BluePrinting 3.0 will allow for multiple schemas to be consolidated into a single one and will optimize scenarios for components that have both centralized and localized fields.

Moving to Trados Enterprise for Translations

While Tridion Sites 10.1 is still going to support integrations to TMS and WorldServer, we recommend moving to Trados Enterprise. It is a very modern platform that easily incorporates with AI linguistic tools like RWS Language Weaver.

Moving forward new features are going to be developed on Trados Enterprise so we recommend that customers start to make the move to the platforms. Some benefits of making the move:

1. Trados Enterprise has many **more features** for both translators and managers.
2. Trados Enterprise can better take advantage of machine translation (with or without human post-edit) to **lower translation costs**.
3. Trados Enterprise with the new Evolve capability can increase the **translation quality** by using AI tools.

Going Headless

Although Tridion has had a headless content hub since 9.0, it was really with the 9.6 release which introduced Semantic Content Models and Template-less Publishing that paved the way for a new and simpler way to work with Tridion's JSON output and the JavaScript frameworks like React, Vue, and Angular.

To go headless, customer will need to install the Dynamic Experience Delivery (DXD) content hub and then ensure that schema fields are set to publishable.

Access Management

If your organization has not yet migrated to the Access Management platform, you may consider doing so as part of the upgrade. This will allow you to take advantage of the new features allowing you to connect to various Identity Providers and better manage security across your Tridion Sites eco-system.

Documentation on how to proceed here:

<https://docs.rws.com/en-US/tridion-sites-10-1-main-documentation-1174622/tridion-access-management-768664>

Integration Framework and Extensions

The Integration Framework was released in Tridion Sites 9.1 and the Extension Framework was released in 10. One of Tridion's key benefits is that it is a platform that can be extended to provide a unique solution for your organization.

As part of the upgrade we recommend taking a look to see if there is any “low-hanging fruit” that could be integrated into the platform.



07.

Services

Worldwide team to assist
you

Expanded Professional Service For 10.1

Working with the globe's
top 100 brands

Worldwide Diversified
Team

- **Sector expertise**

- Automotive
- Aerospace
- Chemical
- Defence
- Financial
- Government
- Legal
- Manufacturing
- Medical devices
- Pharmaceutical
- Retail
- Technology
- Telecommunications
- Travel & Tourism

Content
Modeling

Content
Delivery
Architecture

Governance

Translation

Connectors

Tech
Adjacent
Solutions

and text
here

Content Supply Chain

Focus on Content Lifecycle

- Creation
- Workflow
- Translation
- Governance
- ...

Content Delivery Chain

Focus on Visitor Experience

- # clicks to Convert
- Search
- Targeted Content
- ...

Specialized Content Centric Professional Services

Delivery Application Optimization



Performance



Accessibility




SEO

Actual screenshot of a Google Lighthouse report where RWS Professional Services updated a Tridion customer's Delivery Application in conjunction with an upgrade to Sites 10.


Let our Professional Services modernize your Delivery Application!

Site Redesign




We have designers and UI/UX experts who design composites and deliver all of the HTML/JS/CSS assets.

Connectors and Extensions



Our Professional Services team can help you get the most out of extending Tridion.

Small World Studio



**Create globally.
Connect locally.**

We're not your traditional creative production agency.

**'Global' is our start point.
Not an afterthought.**


<https://www.rws.com/smallworldstudio/>


RWS Acquires Papercup




“The acquisition of Papercup’s market-leading technology marks our intention to transform all forms of enterprise content, making it easier for businesses to connect to global audiences. Integrating this hybrid AI capability into our own solutions perfectly aligns with the demand for scale and quality in this exploding multimedia space.”

Ben Faes, CEO of RWS

 Please can you make the above changes?

 I've reworked the translation on that section now





Solutions Catalog

Available through Partners

08.


Harmonizer – Find Duplicates in Content

RWS Sample

Harmonizer

Overview

Content Breakdown




Reuse Potential

Total Text Blocks:	5421	100%
Unique	3236	60%
Exact	1099	20%
Close	1086	20%
Matches	2185	40%
Needed	601	11%
Potentially Redundant	1584	29%

Matching Exact Sequences: 0
Matching Close Sequences: 0
Similarity: 70%


Content Intelligence - Partner Content Bloom



Content Localization Coverage Report

Last Refresh: Wednesday, January 18, 2023

Localization coverage by country



Map callouts: Russia 6.02%, Czech Republic 6.06%, Germany 9.67%, Portugal 4.90%, France 7.71%, Italy 8.21%, China 10.01%, Japan 11.37%, Korea 9.37%.

31K

Total Content


86

% Reused Content

14

% Localized Content

Localization coverage by content types



Legend: %Localized (teal bars), Count of contentid (black line).

Content Type	% Localized	Count of contentid
Industry Solution	84	66
Product Detail	45	45
Language - P...	83	39
Collateral	34	521
Promo Com...	30	30
Promo List	27	27
Press Release	26	20
Capability	21	193
Content Block	22	21
Demand Web...	20	351
Profile	73	12
Case Study	11	230
Form Builder	8	102
Resource List	7	7
General Article	7	7
Video	1	186
Glossary Term	0	0
Sites Location	0	0

Localization Summary

Language Name	% Localized	% Native	% Reused	Page Views	Average Time on Page
Dutch	18.87	2.51	79.10	581153	272.00
Chinese	20.48	1.34	78.45	547368	269.05
Japanese	20.13	0.74	79.28	510216	253.92
Korean	17.77	1.42	81.06	363245	273.99
Esperanto	15.01	0.61	84.47	362051	281.31
French	15.86	0.89	83.40	333042	282.84
Italian	15.71	0.69	83.71	284812	319.24
Portuguese	3.09	0.27	96.65	248744	294.38
Russian	9.53	0.62	89.91	231229	285.40
Polish	13.15	0.38	86.53	188156	327.90
Czech	12.80	0.58	86.69	180839	328.86
Total	14.84	0.92	84.38	3830855	280.29

Filters

Selected Year: 2022

2016201820202022

201720192021

Selected Content Types: All

Search

- Bottom Social Media List
- Capability
- Case Study
- Case Study List
- Center Labels
- Collateral
- Community Blogs Query
- Component Template data Location
- Contact
- Contacts
- Content Block
- Content Questions
- Country Local Languages

Selected Language Website: All

(Blank)CzechEsperanto

ChineseDutchFrench

Accessibility - Partner AAATraq - 2024



Fresh

Sed pede ullamcorper amet ullamcorper primis, nam pretium suspendisse neque, a phasellus sit pulvinar vel integer.



About



Healthy

Sed pede ullamcorper amet ullamcorper primis, nam pretium suspendisse neque, a phasellus sit pulvinar vel integer.

Healthy

RWS Tridion

IMAGES (Alternate Text)

Fill in the box, thinking how you would describe this image to someone over the phone in 7 - 10 words

per te, a


Present text (make changes below)

Presently there is no alt text for this image

AI Chatbot with AI12Z

The screenshot displays the AI12Z Test Drive interface. On the left is a sidebar with the AI12Z logo and navigation options: All Projects, Dashboard, Documents, Knowledge Base, Prompts, Data, Analytics, and Test Drive (highlighted). The main header shows 'RWS Docs Test Drive' and the user 'Greg Guttmann'. The main content area is titled 'Test Drive' and includes an introductory text: 'Experience your copilot the way your users would. Ask your copilot questions and see the answers it provides you with.' Below this is a 'Share a link' section with a text input containing a URL and a 'Copy Link' button. A toggle switch for 'Do you have a follow up question?' is turned on. Below the toggle is a text input for a follow-up question and an 'Ask AI' button. A user question 'how do I install dxa' is shown in a blue bubble, followed by an AI response in a light blue bubble: 'To install DXA, you need to follow these steps:'.

Accessibility Services - Aptara




<https://dlg.aptaracorp.com/DigitalSamplesShowcase/Accessibility/Accessibility.mp4>

Customer Identity Management

RWS has partnered with OKTA to produce an example of using OKTA to connect to multiple CDPs and profile system for content personalization.



SEO / Accessibility - Partner Siteimprove





Travel, Leisure and Hospitality

09.

Introducing Travellaunch Pro

Building Block Architecture Featuring:

- Content / Translation Management
- Booking Engine Integration
- Reference Implementation "Site in a box"

Dynamic seat maps

Dreamliner 787

Flight 2 of 4

Skip Seats

Back

Bozeman (BZN) to Kailua/Kona (KOA) 6:00 am - 3:35 pm

Thursday, February 15th

Multiple Flights

Choose returning flight

Kailua/Kona (KOA) to Bozeman (BZN)

Tuesday, March 2nd

Mon Mar 01 \$165

Tues Mar 02 \$275

Wed Mar 03 \$639

Thu Mar 04 \$325

Fri Mar 05 \$275

Sat Mar 06 \$385

Sun Mar 07 \$495

Economy Most affordable \$275

Premium Most comfort \$490

6:45am BZN - 30m - PDX - 1h 20m - LAX - 9h 29m - 3:35pm KOA

Flight Details

Features	Economy Light \$223	Recommended Economy Classic \$275 1 Seat Left	Economy Plus \$299
1x Under seat bag*	✓	✓	✓
1x Cabin bag**		✓	✓
Seat selection	✓	✓	✓
2 x 32kg/ 70lb checked baggage		✓	✓
Guaranteed window or aisle		✓	✓
Dedicated check-in area			✓
Premium boarding			✓
Priority check-in			✓
Changeable: refund to credit			✓


Select this flight

Select this flight

Select this flight

Custom bundles offering tiered pricing

TravelLaunch Pro Configurable Building Blocks





Regular Events

09.



Travel, Leisure and Hospitality Events

Feb 5 2025	Digital Building Blocks for Booking Websites
Feb 18 - Feb 19 2025	Aviation Festival Singapore
Mar 5 2025	AI Agents for your Travel and Hospitality Websites
Apr 2 2025	3D Models for Travel and Hospitality
May 7 2025	Accessibility and the Digital Traveler Experience
May 15 - May 16 2025	Aviation Festival Miami
Jun 4 2025	Mid-Trip Check-In of Digital Trends
July 2 2025	Nuances of Global Content

Now broadcasting as a LinkedIn Live Event!

Follow us at: <https://www.linkedin.com/showcase/rws-tridion/>

Archived at: <https://www.rws.com/content-management/tridion/events/>

Monthly Livestream



Join us the first Thursday of the month for the Tridion Livestream.

7am Pacific (USA)
10am Eastern (USA)
3pm GMT (UK)
4pm CET (Central Europe)
11pm China Standard Time



<https://www.youtube.com/@RWSCommunity/streams>



Customer Testimonials

10.



https://players.brightcove.net/6202477137001/default_default/index.html?videoId=1770753732075507638



https://players.brightcove.net/6202477137001/default_default/index.html?videoId=1770754110004242876



Ian Gowrie

Web Development Manager, Malvern

<https://tridion-videos.s3.us-west-1.amazonaws.com/tridion-sites/customer/testimonials-tridion-malvernpanalytical.mp4>


China Airlines launches
global websites with RWS



https://players.brightcove.net/6202477137001/default_default/index.html?videoid=1755814134988860527



Thank you.



About us

RWS is a content solutions company, powered by technology and human expertise. We grow the value of ideas, data and content by making sure organizations are understood. Everywhere.

Our proprietary technology, 45+ AI patents and human experts help organizations bring ideas to market faster, build deeper relationships across borders and cultures, and enter new markets with confidence – growing their business and connecting them to a world of opportunities.

It's why over 80 of the world's top 100 brands trust RWS to drive innovation, inform decisions and shape brand experiences.

With 60+ global locations, across five continents, our teams work with businesses across almost all industries. Innovating since 1958, RWS is headquartered in the UK and publicly listed on AIM, the London Stock Exchange regulated market (RWS.L).

More information: [rws.com](https://www.rws.com)

Copyright © 2025 RWS Holdings Plc. All rights reserved.